

From: "Eron Dodak" <edodak@integral-corp.com>
To: "Novak, Madi" <Novak.Elisabeth@epa.gov>
CC: "Michael PINTO" <michael.pinto@totalenergies.com>
petersonle@cdm.com
Date: 4/4/2022 6:04:14 PM
Subject: RE: Arkema Project Area - Draft FCR-17
Attachments: [ATT00001.txt](#)

Thanks Madi. We will consider your comment on the two additional step-out stations noted below. Thanks again for the quick turnaround on the FCR!

ERON DODAK

Tel: 503.943.3614 | Cell: (b) (6)

INTEGRAL CONSULTING INC.

From: Novak, Madi <Novak.Elisabeth@epa.gov>
Sent: Monday, April 4, 2022 5:18 PM
To: Eron Dodak <edodak@integral-corp.com>
Cc: Michael PINTO <michael.pinto@totalenergies.com>; petersonle@cdm.com
Subject: RE: Arkema Project Area - Draft FCR-17

[CAUTION: External email. Think before you click links or open attachments.]
Hi Eron,

Please see attached approved FCR-17. Also, please consider collecting an additional step out sample to the east of SC-70 and to the north of SC-52 to adequately delineate chlorobenzene contamination in these directions. This would allow for greater certainty during interpolation of SMAs in these areas.

Thank you,
Madi

From: Eron Dodak <edodak@integral-corp.com>
Sent: Thursday, March 31, 2022 6:16 PM
To: Novak, Madi <Novak.Elisabeth@epa.gov>
Cc: Michael PINTO <michael.pinto@totalenergies.com>; petersonle@cdm.com
Subject: Arkema Project Area - Draft FCR-17

Hi Madi,

Attached for your review is the draft FCR for the step-out cores in the navigation channel to delineate chlorobenzene.

Please let me know if you have any questions or comments. Thanks!

ERON DODAK | Senior Science Advisor

Tel: 503.943.3614 | Cell: (b) (6)

319 SW Washington Street, Suite 1150 | Portland | OR 97204

edodak@integral-corp.com | www.integral-corp.com

